

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/751,959	12/29/2000	Ludwig Hofmann	GR 98 P 1974 P	8500
7:	590 12/11/2003	EXAM	INER	
LERNER AN	ER AND GREENBERG, P.A. IQBAL, KHAWAR		HAWAR	
P.O. Box 2480 Hollywood, FL 33022-2480			ART UNIT	PAPER NUMBER
Holly wood, 11	2 33022-2400		2686	
			DATE MAILED: 12/11/2003	, 9

Please find below and/or attached an Office communication concerning this application or proceeding.

		,			
	Application No.	Applicant(s)			
	09/751,959	HOFMANN, LUDWIG			
Office Action Summary	Examiner	Art Unit			
	Khawar Iqbal	2686			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	36(a). In no event, however, may a reply be tim y within the statutory minimum of thirty (30) days vill apply and will expire SIX (6) MONTHS from t , cause the application to become ABANDONED	ely filed will be considered timely. he mailing date of this communication. 0 (35 U.S.C. § 133).			
1) Responsive to communication(s) filed on	_·				
2a) This action is FINAL . 2b) ⊠ This	action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1.3-7.9.10 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. §§ 119 and 120					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list 13) Acknowledgment is made of a claim for domestic since a specific reference was included in the first 37 CFR 1.78. a) The translation of the foreign language pro 14) Acknowledgment is made of a claim for domestic reference was included in the first sentence of the	s have been received. s have been received in Applicationity documents have been received in (PCT Rule 17.2(a)). of the certified copies not received priority under 35 U.S.C. § 119(est sentence of the specification or evisional application has been received priority under 35 U.S.C. §§ 120	on No d in this National Stage d.) (to a provisional application) in an Application Data Sheet. eived. and/or 121 since a specific			
Attachment(s)					

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

6) Dother:

4) Interview Summary (PTO-413) Paper No(s). _____ 5) Notice of Informal Patent Application (PTO-152) Application/Control Number: 09/751,959 Page 2

Art Unit: 2686

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1,4,7 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Papadakis et al (5461921) and further in view of Muzilla et al (5938611).
- 3. Regarding claims 1 and 4 Papadakis et al teaches a method for transmitting data between a head part and a base part of a hands-free telephone, which comprises (abstract, fig. 6):

digitizing information to be transmitted (figs. 1,6, element 26) (col. 9, lines 24-27); spreading the digitized information over a wider frequency band using a CDMA technique (col.9, lines 24-27);

performing a digital to analog (304) conversion on the spread digitized information (col. 9, lines 27-30);

converting the digital to analog converted (304) spread information into an ultrasound signal (col. 9, lines 31-35); and

transmitting the ultrasound signal via an air interface (26) (col. 9, lines 31-35).

Papadakis et al teaches a continuous wave of wideband direct-sequence spread-

spectrum signals continuously drives one or more transducers (26), transmitting coded ultrasonic signals into the object under test (25). The interrogating signal comprises a carrier, phase-modulated with a pseudo-random code of length sufficient to produce continuous spectral components. One or more receiving transducers (30) of the signals (1,2,3,4), diffracted and deflected within the test object, provide electrical output signals. These are cross-correlated, e.g. software-driven, with a time-delayed replica of the transmitted signal, producing a unique signature signal for display and analysis to determine the test object properties, including flaws. Papadakis et al does not specifically teach compressing information to be transmitted using compressing coding.

In an analogous art, Muzilla et al teaches compressing information to be transmitted using compressing coding (col. 3, lines 5-40). Muzilla et al teaches Improves the SNR and/or resolution in color flow ultrasound imaging by using coded excitation with single code. Allows a long transmit pulse to be compressed on receive such that most energy is concentrated in a short interval. Improves spatial resolution sensitivity without compromising sensitivity. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Papadakis et al by specifically adding feature compressing coding in order to enhance system performance of the system purpose of increasing coding efficiency as taught by Muzilla et al.

Regarding claim 7 Papadakis et al teaches a hands-free telephone comprising an ultrasonic transmission system including (abstract, figs. 1,6):

Art Unit: 2686

a CDMA spreader for spreading digital information to a number of carrier frequencies using a CDMA technique (col. 9, 24-45);

a digital to analog converter for digital to analog converting the spread information (col. 9, 24-35); and

an ultrasonic transducer for converting the digital to analog converted spread information into an ultrasound signal and for transmitting the ultrasound signal over an air interface (col. 9, 24-35). Papadakis et al teaches a continuous wave of wideband direct-sequence spread-spectrum signals continuously drives one or more transducers (26), transmitting coded ultrasonic signals into the object under test (25). The interrogating signal comprises a carrier, phase-modulated with a pseudo-random code of length sufficient to produce continuous spectral components. One or more receiving transducers (30) of the signals (1,2,3,4), diffracted and deflected within the test object, provide electrical output signals. These are cross-correlated, e.g. software-driven, with a time-delayed replica of the transmitted signal, producing a unique signature signal for display and analysis to determine the test object properties, including flaws. Papadakis et al does not specifically teach compressing information to be transmitted using compressing coding.

In an analogous art, Muzilla et al teaches compressing information to be transmitted using compressing coding (col. 3, lines 5-40). Improves the SNR and/or resolution in color flow ultrasound imaging by using coded excitation with single code. Allows a long transmit pulse to be compressed on receive such that most energy is concentrated in a short interval. Improves spatial resolution sensitivity without

Art Unit: 2686

compromising sensitivity. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Papadakis et al by specifically adding feature compressing coding in order to enhance system performance of the system purpose of increasing coding efficiency as taught by Muzilla et al.

Regarding claim 10 Papadakis et al teaches at a receiver component (fig. 1,6), receiving (30) the transmitted ultrasound signal and converting the received ultrasonic signal into an analog electrical signal (306); performing an analog to digital conversion on the analog electrical signal (42); despreading the analog to digital converted signal using a CDMA technique (col. 9, lines 35-55).

4. Claims 3 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Papadakis et al (5461921) and further in view of Muzilla et al (5938611) Waters et al (5155741).

Regarding claims 3 and 9 Papadakis et al and Muzilla et al do not specifically teach reducing an effective bit rate of the information to be transmitted to about 1-10 kbit/s when performing the compression coding. The decoder preferably further comprises a converter for converting the analog voice message to digitized voice words, and a memory for storing the digitized voice words. A controller is also preferably provided for controlling the circular shift register in response to the stored digitized voice words.

In an analogous art, Waters et al teaches which comprises reducing an effective bit rate of the information to be transmitted to about 1-10 kbit/s when performing the compression coding. (figs. 2, col. 9, lines 24-54). Therefore, it would have been obvious

Application/Control Number: 09/751,959

Art Unit: 2686

to one of ordinary skill in the art at the time the invention was made to modify the device of Papadakis et al and Muzilla et al by specifically adding a 1-10 kbit/s when performing the compression coding for the purpose of increasing the efficiency of the coding system taught by Waters et al.

5. Claim 6 rejected under 35 U.S.C. 103(a) as being unpatentable over Papadakis et al (5461921) and further in view of Muzilla et al (5938611) and Scott (6522642).

Regarding claim 6 Papadakis et al and Muzilla et al do not specifically teach information is spread to +-100khz.

In an analogous art, Scott teaches information is spread to +-100khz (col. 2, lines 30-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Papadakis et al and Muzilla et al by specifically adding a information is spread to +-100khz for the purpose of increasing the efficiency of the system taught by Scott.

6. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Papadakis et al (5461921) and further in view of Muzilla et al (5938611) and Nakamura (4591811).

Regarding claim 5 Papadakis et al and Muzilla et al do not specifically teach wherein in performing the step of transmitting the ultrasound signal, the ultrasound signal is transmitted at a frequency between 200 and 400 kHz.

In an analogous art, Nakamura teaches the ultrasound signal is transmitted at a frequency between 200 and 400 kHz. (col. 1, lines 19-28). Therefore, it would have

Page 7

Application/Control Number: 09/751,959

Art Unit: 2686

been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Papadakis et al and Muzilla et al by specifically adding a the ultrasound signal is transmitted at a frequency between 200 and 400 kHz for the purpose of increasing the efficiency of the system taught by Nakamura.

Response to Arguments

7. Applicant's arguments with respect to claims 1,3-7,9,10 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAWAR IQBAL whose telephone number is 703-306-3015.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **BANKS-HAROLD**, **MARSHA**, can be reached at 703-305-4379.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 872-9314 (for Technology Center 2684 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Application/Control Number: 09/751,959

Art Unit: 2686

Page 8

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Khawar Iqbal

Marsha D. Banks-Harold MARSHA D. BANKS-HAROLD SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600